

Visit us online at:  
altohartley.com

Show Room:  
Monday – Friday  
8:00am – 6:00pm

# STEP RIGHT UP ALTO HARTLEY CONCESSIONS STAND SALE!

**BENCH MARK USA**  
Commercial Food Equipment

## PREMIERE POPCORN MACHINES

Commercial grade popper available in either a 4 or 6 oz. kettle to meet your production needs. The optional pedestal base has a two shelf storage compartment for popcorn supplies. The inner kettle is constructed of thick gauge anodized aluminum for maximum performance and easy cleaning. Aluminum provides the best heat transfer of any cookware approved alloy while the 20 mil thick anodizing armors the kettle for durability and provides a super-slick surface for easy cleaning. The kettle jackets are made of plated steel for corrosion resistance and easy cleaning. Features an Old-Maid drawer, tempered glass panels, lighted cabinet, anodized non-stick kettle, metal construction and cinema style decor.

11048 4 oz. Kettle, 85 Quarts Per Hour, 930 W, 120V

11068 6 oz. Kettle, 127 Quarts Per Hour, 1130 W, 120V



**\$299<sup>00</sup>**

**BENCH MARK USA**  
Commercial Food Equipment

## THE DOG POUND HOT DOG STEAMER/MERCHANDISER

A unique divided tray allows for different sizes of dogs or sausages to be cooked and merchandised simultaneously. Stainless steel construction and removable product trays and doors insure ease of cleaning. Graphics on the front and back allow for either front-counter or rear-counter merchandising. Low water LED and illuminated. Adjustable thermostat for all cooking and holding conditions. 7 quart reservoir for long holding times. Sliding doors for easy access to food-zone.

60048

Holds Up To 164 Dogs & 36 Buns, 1170W, 120V



**BENCH MARK USA**  
Commercial Food Equipment

## POPCORN PORTION PACKS

Make perfect, theater-quality popcorn every time with these convenient packets of pre-measured popcorn, seasoning salt and coconut oil. No measuring and no mess.

40004 4 oz.

40006 6 oz.

**\$289.00**  
**\$359.00**

**\$17.99**  
**\$19.99**



**BENCH MARK USA**  
Commercial Food Equipment

## CHILI & CHEESE WARMER

Dual well warmer is designed specifically for chili and cheese. The twin 7 quart wells are ideal for toppings and it comes complete with pumps or the hinged inset lids and two long-handled, 3 oz. one-piece ladles. Constructed out of 18/8 stainless steel and comes with a 3-year warranty for worry-free operation. Eye-catching graphics. Covered master switch and an adjustable thermostat, for all cooking conditions.

51072A

2 Ladles/Lids, (2) 7 qt., 1200W, 120V



**\$299<sup>00</sup>**

**\$499<sup>00</sup>**

**BENCH MARK USA**  
Commercial Food Equipment

## SNOW BANK SNOW CONE MACHINE

The blades of the cutting head are pre-set to produce standard coarse snow cone ice or it can be adjusted to produce finely shaved ice. Rotating at 1700 rpm, the heavy-duty 1/3 hp motor is designed for years of durable service. Features tinted tempered glass panels, die-cast aluminum horn, cutting head and pusher, adjustable stainless steel cutting blades, safety re-set button, snow cone shaper, polycarbonate service door and a molded plastic drainage deck.

71000 Up to 500 lbs. Of Ice Per Hour, 120V



**FOLLOW US  
ON INSTAGRAM!**

**\$789<sup>00\*</sup>**

\*Plus Freight

**MagiKitch'n**

## CHARCOAL GRILL

Portable outdoor charcoal grill that is designed to be light in weight so it is easy to transport. Snap in legs and easy set up allows this high performance grill to go where other grills are left behind. Aluminized steel construction with chrome top grid. 6" heavy-duty casters.

CGL-60

60"W x 24"D Cooking Area, 60"W x 36"H Overall





**\$24<sup>99</sup>**

### WATERPROOF DIGITAL POCKET THERMOMETER

Compact, slim pen style waterproof pocket thermometer with thin probe tip for fast response. Probe tip reduced to 1.5mm. Response time better than 6 seconds. Fits flat in your pocket. Accuracy of ±2°F. Field calibratable. BioCote® antimicrobial protection. °F/°C switchable. Data hold to freeze a reading. Auto power off. Withstands constant use in wet or humid conditions.

**PDT300** -58°F to 302°F/-50°C to 150°C



**\$28<sup>99</sup>**

### WATERPROOF DIGITAL POCKET THERMOMETER

High accuracy ± 1°F. Thin 1.5mm tip probe for fast response in under 6 seconds. MAX Temperature hold for commercial dishwashers. Field calibratable. Auto power off conserves battery life. Maximum temperature hold. Data hold to freeze a reading. BioCote® antimicrobial reduces the risk of cross-contamination.

**PDQ400** -4°F to 400°F/-20°C to 200°C

### CAMBRO CAMTAINER® INSULATED BEVERAGE SERVERS

Use to hold, transport and serve hot or cold beverages. One piece, seamless double-wall polyethylene with thick foam insulation. Sturdy plastic latches secure lids tightly and will never rust.

Drip-proof recessed spigot for easy self-serve access. Stack units on riser to fill large cups or coffee pots. Each unit includes a beverage label set.

**250LCD110** 2¼ gal., Black  
**500LCD110** 4¾ gal., Black



### CAMBRO CAMTAINER® RISER

Polyethylene riser fits Camtainer® beverage containers.

**R500LCD110** Fits 2½ & 5 gal., Black



**\$59<sup>00</sup>**



### COMMERCIAL COFFEE MAKER

Brews perfect coffee and automatically holds it at the ideal temperature. These percolators are built for heavy-duty service. Two-way dripless spigot. Stay-cool phenolic handles and knob. Twist-to-secure cover. Signal light to indicate when coffee is ready. Interior water level markings. Dual, high-limit thermostat to protect against overheating.

**13500** 55 Cup, 120V



**\$119<sup>00</sup>**



### COFFEE URN

Brushed stainless steel finish and internal components. This unit allows you to brew up to 55 cups in 30 minutes or less. It features a dual heater system, one heater is used to brew and one is used to keep the coffee warm. The removable sight glass lets you see when it is time to start brewing again. Ready and Power On indicators.

**WCU550** 55 Cup, 120V



**\$159<sup>00</sup>**



### COMMERCIAL BAR BLENDER

Comes standard with a two-speed commercial motor and toggle switch controls with Hi, Lo, and Off. Also features a rugged, two-piece stainless steel cutting blade and two-piece lid with removable center. Recommended for up to 25 drinks per day. Features a dishwasher-safe, BPA-free, copolyester container.

**BB155** 44 oz., 3/4 hp



**\$79<sup>00</sup>**



### BLADE SERIES BAR BLENDER

Removable rubberized jar pad dampens sound and makes cleanup easy. Easy-to-use toggle switch controls with High, Low, Off and Pulse. Two-speed motor. Blends three 16 oz. margaritas in 12 seconds or less. Recommended for 25-49 drinks per day. Features a one-piece, BPA-free, copolyester container with industrial steel blade.

**BB300** 48 oz., 1 hp



**\$139<sup>00</sup>**



**\$149<sup>00</sup>**



### HANDWASH ACCESSORY

Lets you set up a handwashing station with a Camtainer and hot water. Secure a handwash accessory on top, add a "Handwash Only" sticker on the front and fill the towel holder and soap dispenser. Fits 250LCD and 500LCD.

**HWAPR110** w/Towel Roll Dispenser, Black



### PLASTIC BEVERAGE DISPENSER

Leak-proof spring-action faucet. Detachable drip tray and lid. BPA-free.

**PBD-3SK** 3 gal., Black



**\$29<sup>00</sup>**

Phone: (703) 883-1448

**\$1,539<sup>00</sup>**

**Turbo air**  
**SUPER DELUXE BEER DISPENSER**

Stainless steel countertop and black laminated exterior. Stainless steel inside walls and floor. Galvanized steel interior top. 3" diameter stainless steel insulated beer column with double faucet, door locks, recessed handle, LED interior lighting, side mount, front breathing. Comes on 4" casters.

**TBD-1SB** 1 Swing Door, 1 Half Barrel, 23<sup>5</sup>/<sub>8</sub>"W, 115V



**Turbo air**

**REFRIGERATED GLASS DOOR MERCHANDISER**

Self-contained, double pane Low-E hinged glass door, LED interior and canopy lighting, hot gas condensate system, (4) adjustable PE-coated wire shelves, black cabinet with black door frame, bottom mount compressor. ENERGY STAR® qualified.

**TGM-22RVB** 1 Swing Door, 4 Shelves, 20.3 cu. ft., 1/4 hp, 115V

**\$1,809<sup>00</sup>**



**\$1,549<sup>00</sup>**

**Kelvinator**

**REFRIGERATED GLASS DOOR MERCHANDISER**

Dynamic condenser improves performance in high temperature environments. Automatic defrost cooling system provides worry-free performance. Painted steel exterior and interior. Mechanical control. Internal temperature display. Adjustable shelves, vinyl-coated steel. Heavy-duty casters. Interior lighting. ENERGY STAR® qualified.

**KCGM180RQY** 1 Swing Door, 18.8 cu. ft., 1/4 hp, 120V



**VISIT US TO ENTER IN THE RAFFLE!**

**Kelvinator**

**CHEST FREEZERS**

Static condenser. Mechanical control. Internal temperature display. Freezer basket. Locking lids and key protect the contents of the unit. Exterior finish is textured painted steel. Interior finish is painted steel. Includes NSF® Certified basket. NSF® Certified temperature gauge. Heavy-duty, locking casters.

**KCCF073WS** 7 cu. ft., White, 1/6 hp

**\$639.00**

**KCCF160QW** 16 cu. ft., White, 1/5 hp

**\$889.00**

**KCCF180QW** 18 cu. ft., White, 1/5 hp

**\$939.00**

**KCCF220QW** 22 cu. ft., White, 1/4 hp

**\$1,009.00**

Lock assembly for solid top chest freezers.

**297090100** Lock Assembly Only

**\$29.00**

**Kelvinator**

**REACH-IN REFRIGERATOR & FREEZER**

Fin and tube condenser improves performance in high temperature environments. Automatic defrost cooling system provides worry-free performance. Mechanical control. Internal temperature display. Four, adjustable, vinyl-coated steel shelves. Spring-assisted hinge with 90° stay-open feature. Lock and key protects the contents of the unit. Heavy-duty, locking casters keeps units in place but allow position adjusting. Reversible door. Interior lighting. Refrigerator has a temperature range of 32°F to 44°F, freezer has a temperature range of -10°F to 10°F. ENERGY STAR® qualified.

**KCBM180RQY** 1-Section Refrigerator, 18 cu. ft., 1/4 hp, 115V

**\$1,279.00**

**KCBM180FQY** 1-Section Freezer, 18 cu. ft., 1/2 hp, 115V

**\$1,279.00**



**\$309<sup>00</sup>**

**update international**

**COOLER CART**

Hinged lid opens on both sides. Features a removable stainless steel bottle opener, drain plug and removable cap catcher. 3" locking casters.

**CC-65B** 65 qt., Black



**EAGLE GROUP**  
Pride from the Eagle Advantage™

**LOK-N-FOLD™ TABLES**

18/430 stainless steel. Folding legs are heavy gauge painted mild steel. Locking dimples ensure legs are locked in place. Open base.

**T2448F** 24" x 48", 360 lb. Capacity **\$259.00\***

**T2460F** 24" x 60", 450 lb. Capacity **\$269.00\***

**T3048F** 30" x 48", 450 lb. Capacity **\$279.00\***

**T3060F** 30" x 60", 562 lb. Capacity **\$299.00\***

*\*Plus Freight*



**\$169<sup>00</sup>**



### MEDIUM-DUTY TOASTER

Brushed stainless steel housing. Features four extra-wide (1 3/8") slots - great for bagels. Electronic browning controls. Four self-centering bread racks. Removable crumb trays.

**WCT708** Up To 225 Slices Per Hour, 1800W, 120V



**\$269<sup>00</sup>**



### COMMERCIAL MICROWAVE OVEN

Compact commercial microwave oven with stainless steel front, steel cabinet and cavity. Bottom energy feed.

Features a 6-minute electronic dial timer with auto reset as well as a "Grab & Go" door handle.

**NE-1025F** Dial Timer, 1000W, 0.8 cu. ft., 120V



**\$389<sup>00</sup>**



### HEAVY-DUTY TOASTER

Uniformly toasts bagels, as well as regular bread, Texas toast, frozen waffles and many other foods. Features four extra-wide slots (1 1/2") - great for bagels. Bagel/Bread selector switch - bagel toasts on one side; bread toasts on both sides. Easily replaceable industrial heating plates. Electronic browning controls and carriage control lift levers.

**WCT850RC** Up To 300 Slices Per Hour, 1800W, 120V



**\$289<sup>00</sup>**



### DIGITAL COMMERCIAL MICROWAVE OVEN

Features a stainless steel front with "Grab & Go" door handle. Ten programmable memory pads with 20 memory capability. Six power levels with two and three-stage cooking. Fits one 1/2 size 6" tall pan with cover. Interior oven light. See-through oven door. Touch control keypad.

**NE-1054F** Digital Timer, 1000W, 0.8 cu. ft., 120V



### COMPACT COUNTERTOP CONVECTION OVENS

Advanced airflow design with patented baffle and squirrel cage fan. High temperature motor bearings. Heat settings from 175°F to 500°F. Continuous on or 60 minute timer. Cool-touch safety door. Double thermal glass door removable for easy cleaning. Insulated double wall construction. Shelves included; 2 1/2" between shelves. All stainless construction.

**OV-003** 1/4 Size, 3 Shelves, 0.83 cu. ft., 120V

**OV-013** 1/2 Size, 3 Shelves, 1.34 cu. ft., 120V



**\$569.00**  
**\$749.00**

**\$109<sup>00</sup>**



### ELECTRIC FOOD WARMER

With highly efficient heating distribution, this food warmer is a workhorse that can endure the harshest kitchen environments. Energy-efficient design for faster heating and lower utility costs. Heavy-duty stainless steel body for commercial use. 20" x 12" Standard opening fits most full-size pans with depths of up to 6". Three settings: Low = 140°F, Medium = 170°F, High = 200°F. ETL listed.

**FWS500** Full Size Pan, 1200W, 120V



### CONVECTION OVEN CARRY BAG

Designed to fit OV-013 series ovens. Ideal for carrying ovens to catering jobs. Bag sides open for easy placement of oven and close with Velcro closures. Sturdy carry straps wrap fully under bag for optimum bag strength. Black, heavy-duty vinyl material.

**OV013CB** Fits 1/2 Size Oven (OV-13), 23 3/4"W x 23 3/4"D x 14 1/4"H, Black **\$99.00**



**\$159<sup>00</sup>**



### ELECTRIC FOOD COOKER/WARMER

This multitasking cooker plus warmer maintains temperatures for extended periods of time. Energy-efficient insulated heating compartment for maximum efficiency. Indicator light for monitoring status. Easy control settings that cook and keep food at the right temperature all day. Stainless steel body with vented sides. 20" x 12" standard opening that holds full-size pans with depths of up to 6". Three settings: Low = 140°F, Medium = 170°F, High = 200°F. ETL listed.

**FWS600** Full-Size Pan, 1500W, 120V



**\$979<sup>00</sup>**



### LINE CHEF™ STEFANIA™ MANUAL CONVECTION OVEN

Advanced airflow design with patented baffle for even heat. Manual control knobs for Time and Temperature. Holds up to three (1/2 size) sheet pans (not included). Also handles steam pans. Two hour timer or continuous on. 120 minute timer beeps at end of cycle. Heat settings from 175°-500°F. Dura-body heavy-duty stainless steel construction. High temp motor bearings. Reinforced door design. Interior halogen light. 3" spacing between shelves. Single fan. "Cool-touch" double wall glass door.

**XAF-113** 1/2 Size, 3 Shelves, 1.75 cu. ft., 208-240V



**\$19<sup>00</sup>**



**CAMBRO**  
TRUSTED FOR GENERATIONS™  
**PAIL W/BAIL**

Multi-purpose polyethylene pail is dependable, stain resistant and dishwasher safe. The large capacity is ideal for mixing, storing or transporting. Temperature range: -40°F to 160°F.  
**PWB22148** 22 qt., White

**CAMBRO**  
TRUSTED FOR GENERATIONS™  
**ULTRA CAMCART®**  
**H-SERIES**  
**HEATED ULTRA**  
**PAN CARRIER**



Enables HACCP compliance by maintaining safe, hot food temperatures. Gentle, 150°F to 165°F heat will not cook food and maintains food moisture. 45 minute preheat time from room temperature. Three minute recovery after the door is opened and closed. Tough, polyethylene exterior stays cool-to-the-touch. Thick foam insulation retains temperatures for hours, even when unplugged. UPCH400 models stack for storage or transporting on a Camdolly® with securing strap.  
**UPCH400110** 1-Compt., Black, 110V

**\$49<sup>00</sup>**



**CAMBRO**  
TRUSTED FOR GENERATIONS™  
**THERMOBARRIER®**

Separates hot and cold food within the same compartment of most front loading Cambro food pan carriers and carts. Minimize food temperature loss within partially full compartment and separate both full and empty pans stored in the same compartment.

**400DIV180** 21 1/4" x 13" x 1 1/2", Gray

**\$239<sup>00</sup>**



**CAMBRO**  
TRUSTED FOR GENERATIONS™  
**ULTRA PAN**  
**CARRIER®**

Designed to hold variety of food pan combinations while having a compact footprint that fits in a variety of smaller transport vehicles. They hold hot or cold food for 4+ hours without electricity. Holds three full-size, 4" deep, food pans. Gasketless, self-venting door is fully removable for thorough cleaning. Has a labeling on the door for adhering content or routing info.  
**UPC300110** 1-Compt., Black

**CAMBRO**  
TRUSTED FOR GENERATIONS™  
**CAMDOLLY®**  
**& STRAP**



Dolly designed to transport UPCH400 easily and safely. 5" casters; 2 fixed, 2 swivel. Optional strap can be used to secure carriers to Camdollies®.

**CD400110** Dolly, 300 lb. Capacity, Black **\$189.00**  
**400STP000** Strap For Camdolly, Beige **\$9.00**

**\$79<sup>00</sup>**



**CAMBRO**  
TRUSTED FOR GENERATIONS™  
**CAMCHILLER®**

For use in Cambro front loading food pan carriers or carts. Keep in cabinet with cold foods to ensure they are safely held below 41°F. Freeze first then use to pre-chill cabinet before loading up. Full size.

**CP1220159** 20 13/16" x 12 7/8" x 1 1/2", Blue

**\$18<sup>99</sup>**



**POP-UP CHAFER SET**

Includes a heavy-duty metal pan holder, a reusable aluminum water pan, (2) aluminum food half size pans, a plastic serving spoon and fork set and (2) cans of Sterno 2-hour gel chafing fuel.

**70120** Complete Set

**\$39<sup>99</sup>**



**WincO**  
**NEWBURGH**  
**CHAFER**

Simple and elegant design with a mirror finish cover. Cover clips onto a sturdy four-point welded frame. High legs allow for extra space to prevent fuel holder bottoms from overheating table surface. Includes water pan, food pan, (2) fuel holders and spare stainless steel and plastic handles.

**C3080B** Full Size, 8 qt.

**\$24<sup>99</sup>**



**CHEF-MASTER**  
**PORTABLE BUTANE STOVE**

High impact protective carrying case. Automatic piezo electronic ignition system. In-line regulator with pressure sensing shut-off. Adjustable heat range.

**90011** Hight Heat - 10,000 BTU



**\$79<sup>00</sup>**



**WincO**  
**PROFESSIONAL**  
**HEAT LAMP**

Extra heavy-duty 14 gauge anodized aluminum frame. Aluminum light hood. Four-position adjustable height. 6' power cord. Includes (2) Shat-R-Shield shatter resistant clear infrared, 250W/120V bulbs. ETL listed. NSF-4.

**EHL2** 19 1/2" L x 14 1/4" W x 23 1/2" H, 120V/60

**\$7<sup>99</sup>**



**BUTANE FUEL**

Standard can of butane fuel, burns for 2 to 4 hours. UL listed.

**40062** 8 oz. Can, 4/pk.



**LIGHTER**

Butane lighter with child safety device, on-off switch, and adjustable flame control.

**11005** 9 1/2" L, Refillable



**WincO**  
**ACRYLIC**  
**DISPLAY**  
**CASES**

Acrylic display cases.

**ADC-2** 2-Trays, 21" x 18" x 12", Clear **\$99.00**

**ADC-3** 3-Trays, 21" x 18" x 16-12", Clear **\$139.00**



**Fax: (703) 883-0244**



ALTO-HARTLEY

4601-A Eisenhower Ave.  
Alexandria, VA 22304  
Phone: (703) 883-1448  
Fax: (703) 883-0244



Manitowoc

### NEO™ UNDERCOUNTER ICE MACHINES

The all-in-one solution to your undercounter ice cube needs. NEO™ produces more ice than ever before while using less water and energy. Storage bin provides industry leading capacity. Forward-sliding storage bin for easy access to refrigeration components. Smooth, sealed food-zone with removable components for faster cleaning. AlphaSan added to key internal components. NEO™ provides feedback with full bin and service indicators. Delay function allows you to pause your machine for slow periods. Units are air-cooled.

UD-0140A Up To 129 lbs. Of Dice-Style Ice Per 24 Hours

UD-0310A Up To 304 lbs. Of Dice-Style Ice Per 24 Hours

Set of 4 swivel casters for use with NEO™ or Q-Series (not QM) .

K-00063 2½" dia., 3"H, Non-Locking



\$1,829.00

\$2,579.00

\$139.00

Manitowoc

### ARCTIC PURE™ WATER PRE-FILTER

This single cartridge pre-filter is specially designed to reduce the amount of dirt and rust sediment in your water before it reaches your primary filter, thus increasing the efficiency and extending the service life of your primary filter. With its 5 micron rating, this pre-filter effectively removes the larger microbes from your water supply that are especially prevalent in dirty water, making this unit highly recommended for areas with high-particulate water.

AR-PRE 125 Max. PSI, 1.5 GPM



\$159.00

BK RESOURCES

### PREMIUM WALL SHELVES

Wall mount, 18/304 stainless steel shelves with 1½" rear turnup. Two 8" angle supports.

BKWS-1224 24"W x 12"D

BKWS-1236 36"W x 12"D

BKWS-1248 48"W x 12"D



\$49.00

\$59.00

\$79.00

BK RESOURCES

### SPACE SAVER HAND SINK

Wall mount sink made of 304 stainless steel. 4" O.C. splash mount faucet holes with BKD-3G-G faucet. 1⅞" drain opening, basket drain and mounting bracket included.

BKHS-W-SS-P-G 9"W x 9" Front-To-Back Bowl



\$129.00

BK RESOURCES

### SIDE SPLASH

Side splash for wall mount hand sink. Fits 10" x 14" hand sink (BKHS-W-1410). 304 stainless steel.

BKHS-SSW1410 15½"W x 9½"H



\$29.00

CAMBRO

### SLIDINGLID™ ICE CADDY

Polyethylene body and thick foam insulation hold ice for days. Will not crack, dent, bubble, chip or break. Unique sliding lid slides back and under, reducing risk of cross-contamination. Recessed well and drain shelf keep ice out of water, extending holding times. Molded-in handles ease maneuvering. Recessed handle on front end for lifting. Heavy-duty front casters and large rear Easy Wheels ensure smooth transporting. Easy to clean. No assembly required.

ICS100L110 100 lb. Capacity, 5" Casters (2 Front Swivel, 1 w/Brake, 2 Rear Fixed), Black



\$539.00



DEMO TUESDAYS  
11:00 - 1:00

CAMBRO

### CAMKIOSK® HAND SINK CART

Self-contained, electric hand washing system can be used alone or with CamKiosk® Cart. Run hot and cold water for up to 70 hand washings. Includes: double stainless steel sinks, two 5 gallon fresh water tanks, two 7½ gallon waste water bins, hand soap dispenser and paper roll holder. Extremely durable polyethylene will not crack, dent, bubble, chip or break. Easy to clean, easy to use. 110V. 6" casters, 2 fixed, 2 swivel with brake.

KSC402426 Up To 70 Hand Washings, Black w/Granite Gray Door/Top



\$2,599.00